

# Tubing for UHPLC



PEEK™ Tubing



PEEKsil™ Tubing



Stainless Steel Tubing



PEEK-Lined Stainless Steel (PLS) Tubing

## PEEK™

- ▶ Up to 10,000 psi (690 bar) (ID/OD dependent)
- ▶ ID: 25 µm – 2 mm
- ▶ OD: 360 µm, 0.020", 1/32", 1/16", 1.8 mm, 2.0 mm, 1/8"
- ▶ Chemically inert
- ▶ Biocompatible flow path
- ▶ Broad size/color availability

## PEEKsil™

- ▶ Up to 10,000 psi (690 bar) (ID/OD dependent)
- ▶ ID: 25 µm – 300 µm
- ▶ OD: 360 µm, 1/32", 1/16"
- ▶ Fused silica flow path
- ▶ Pre-cut lengths

## Stainless Steel

- ▶ > 15,000 psi (1,035 bar) typical
- ▶ ID: 100 µm – 2 mm
- ▶ OD: 0.020", 1/32", 1/16", 1/8"
- ▶ Pre-cut lengths
- ▶ Color-coded banding corresponds to inner diameter size

## PEEK-Lined Stainless Steel (PLS)

- ▶ Up to 15,000 psi (1,035 bar)
- ▶ ID: 25 µm – 254 µm
- ▶ OD: 1/16"
- ▶ All-PEEK flow path
- ▶ Bendable/flexible

PEEK™ polymer is a Trademark of Victrex plc  
 PEEKsil™ is a Trademark of SGE International Pty. Ltd.  
 ©2012 IDEX Health & Science LLC  
 IDX1679-PD-UP 09.2012

www.idex-hs.com | North/South America +1 866 339 4653 | Europe +49 1801 808 800 | Asia +86 10 6566 9090